



IN THE UNITED STATES PATENT & TRADEMARK OFFICE

Application Number : 10/046,544 Confirmation No. 1801
Applicant : Trevor G. Blease et al.
Filed : January 16, 2002
Tech Cntr/AU : 1616
Examiner : S. Clardy
Entitled : Agrochemical Compositions and Surfactant Compounds
Attorney Reference : 118989-40290580
Customer Number : 43569

MAIL STOP AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450


SUBMISSION OF PRIORITY DOCUMENT

Attached please find the certified copy of the following foreign application from which priority is claimed for this case:

<u>Country</u>	<u>Application Number</u>	<u>Filing Date</u>
Great Britain	9916581.3	July 16, 1999

Respectfully Submitted,

MAYER BROWN ROWE & MAW LLP

By: 

John E. Mauk
Registration No. 54,579

Paul L. Sharer
Registration No. 36,004

Intellectual Property Group
1909 K Street, N.W.
Washington, D.C. 20006
(202) 263-3000 Telephone
(202) 263-3300 Facsimile

Date: August 8, 2005



INVESTOR IN PEOPLE

CERTIFIED COPY OF PRIORITY DOCUMENT


The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated 30 June 2005

16 JUL 1999
P01/77003 1.00**Request for grant of a patent***(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)*

THE PATENT OFFICE

16 JUL 1999

RECEIVED BY POST

16 JUL 1999

The Patent Office
Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference

CPW 50807

2. Patent application number

(The Patent Office will fill in this part)

9916581.3

3. Full name, address and postcode of the or of
each applicant *(underline all surnames)*IMPERIAL CHEMICAL INDUSTRIES PLC
Imperial Chemical House
Millbank, London SW1P 3JFPatents ADP number *(if you know it)*

935003

If the applicant is a corporate body, give the
country/state of its incorporation

UNITED KINGDOM

4. Title of the invention

Agrochemical Compositions and Surfactant
Compounds.5. Name of your agent *(if you have one)*

ROBERTS, Jonathan Winstanley

"Address for service" in the United Kingdom
to which all correspondence should be sent
*(including the postcode)*ICI Group Intellectual Property
PO Box 11, The Heath, Runcorn
WA7 4QF, United Kingdom.7143266002
Patents ADP number *(if you know it)*

1043266002

6. If you are declaring priority from one or more
earlier patent applications, give the country
and the date of filing of the or of each of these
earlier applications and *(if you know it)* the or
each application number

Country

Priority application number
*(if you know it)*Date of filing
*(day / month / year)*7. If this application is divided or otherwise
derived from an earlier UK application,
give the number and the filing date of
the earlier application

Number of earlier application

Date of filing
*(day / month / year)*8. Is a statement of inventorship and of right
to grant of a patent required in support of
this request? *(Answer 'Yes' if:*

- any applicant named in part 3 is not an inventor, or
- there is an inventor who is not named as an applicant, or
- any named applicant is a corporate body.

YES

Agrochemical Compositions and Surfactant Compounds


This invention relates to agrochemical compositions including surfactant compounds which include a polyhydroxy hydrocarbyl, particularly a saccharide, amine residue, a hydrophobic residue and a linking group, particularly including a glycidyl group, to the use of such compounds as surfactants in agrochemicals and to certain of these compounds as such.

Surfactants are widely used in agrochemical compositions and formulations for a variety of reasons including as adjuvants, wetting agents, emulsifiers or solubilisers (or to serve more than one such function). Adjuvants act to increase the effect of agrochemicals (by a variety of possible mechanisms); wetting agents improve the wetting of agrochemical sprays on the target substrate, usually plant leaves; emulsifiers are used to emulsify liquid agrochemicals in aqueous media, to emulsify oils used as solvents or diluents for agrochemicals and/or to emulsify oils used as formulation additives (to provide improved properties); and solubilisers are used to improve the solubility or compatibility of otherwise insoluble or incompatible formulation components. The benefit of including surfactants in agrochemical formulations is widely recognised and for many agrochemicals is a very widespread practice.

Surfactants including polyhydroxy hydrocarbyl, particularly saccharide, substituents, particularly as amides have been suggested e.g. for cleaning applications. Other surfactant compounds including polyhydroxy hydrocarbyl and amino groups are disclosed in JP54163829A to fatty alcohol glycidyl amine glucoside derivatives in making cosmetic emulsions; DE4238214A and DE4238215A to fatty glycidyl amine glucoside derivatives in making polyurethane materials; DE4238216A and DE4238217A to quaternary derivatives of such materials as textile surfactants and DE4307475A to betaine derivatives.

This invention is based on the finding that certain surfactants including polyhydroxy hydrocarbyl, particularly saccharide, amine groups can be useful in agrochemical applications, compositions and formulations, in particular providing adjuvancy, wetting, emulsification, dispersancy, thickening and/or solubilisation. The compounds of and used in this invention can have significantly lower aquatic toxicity than conventional surfactants used in agrochemical formulations, especially adjuvant surfactants.

The present invention accordingly provides an agrochemical composition which includes an agrochemically active compound and a compound of the formula (I):



where

R^1 is polyhydroxy hydrocarbyl;

R^2 is H or hydrocarbyl, particularly alkyl, hydroxyalkyl or alkoxyalkyl, or is a group as defined for R^1 ;

X^1 is N; $N^+ - O^-$; $N^+ R^4^-$ where: R^4 is C_1 to C_6 hydrocarbyl carrying an anionic substituent, particularly $-CH_2-COO^-$; or $N^+ R^5^- An^-$ where: R^5 is a C_1 to C_{20} hydrocarbyl, particularly alkyl, hydroxyalkyl, alkoxyalkyl or aralkyl; and An^- is a charge balancing anion e.g. alkali metal or ammonium;

Link is a linking group of the formula: $-CH_2-CHOH-X^2-$ where X^2 is

a direct bond; $-CH_2-O-$; $-CH_2-N(R^6)-$; $-CH_2-(OA)_p-O-$; or $-CH_2-(OA)_p-N(R^7)-$ where

OA is an oxyalkylene residue;

p is from 1 to 100;

R^6 is H; C_1 to C_8 hydrocarbyl, especially alkyl or alkenyl; or a group $R^1-(R^2)X^1-CH_2-$ $CHOH-CH_2-$ where R^1 , R^2 and X^1 are as defined above; and

R^7 is H; C_1 to C_8 hydrocarbyl, especially alkyl or alkenyl; or a group $R^1-(R^2)X^1-CH_2-CHOH-CH_2-(OA)_p-$ where R^1 , R^2 , X^1 , OA and p are as defined above; and

R^3 is hydrocarbyl, particularly C_{10} to C_{30} , especially alkyl, alkenyl, alkaryl, aryl or aralkyl.

The invention also includes compounds of the formula (IIa) [within the general formula (I)]:



where R^1 , R^2 , and R^3 are as defined above for formula (I); and

Link¹ is a linking group of one of the formulae:

- $CH_2-CHOH-CH_2-(OA)_p-O-$;
- $CH_2-CHOH-CH_2-N(R^6)-$; or
- $CH_2-CHOH-CH_2-(OA)_p-N(R^7)-$;

where OA, p, R^6 and R^7 are as defined above for formula (I).

The invention further specifically includes compounds of the formula (IIb) [within the general formula (I)]:



where R^1 , R^2 , and R^3 are as defined above for formula (I);

X^{1a} is $N^+ > O^-$, $N^+ R^4^-$ or $R^5 An^-$ where: R^4^- , R^5 and An^- are as defined above for formula(I); and

Link² is a linking group of one of the formulae:

- $CH_2-CHOH-CH_2-O-$;
- $CH_2-CHOH-CH_2-(OA)_p-O-$;
- $CH_2-CHOH-CH_2-N(R^6)-$; or
- $CH_2-CHOH-CH_2-(OA)_p-N(R^7)-$;

where OA , p , R^6 and R^7 are as defined above for formula (I).

The invention particularly includes agrochemical compositions which include an agrochemically active compound and, particularly as an adjuvant, at least one compound of at least one of the formulae (IIa) or (IIb). The invention further includes the use of compounds of any of the formulae (I), (IIa) or (IIb) as agrochemical surfactants, particularly as adjuvants.

The group R^1 is a polyhydroxy hydrocarbyl, particularly polyhydroxy alkyl, group, and desirably has a linear C_4 to C_7 chain and at least three hydroxyl groups directly bonded to chain carbon atoms. The group may include substituents, in particular, alkoxy groups e.g. by etherification of further hydroxyl groups or further polyhydroxy hydrocarbyl, e.g. polyhydroxy alkyl, group(s), but the group desirably includes at least three free hydroxyl groups including such hydroxyl groups on substituents of the basic chain. Particularly R^1 is an open chain tetratol, pentitol, hexitol or heptitol group or an anhydro e.g. cycloether anhydro, derivative of such a group. Especially desirably, R^1 is the residue of, or a residue derived from, a sugar, particularly a monosaccharide such as glucose, fructose or sorbitol, a disaccharide such as maltose or palitose or a higher oligosaccharide. It is particularly convenient that R^1 is the residue of a reducing sugar, because the amines can be made by straightforward reductive alkylation reactions on ammonia or an amine H_2NR^2 .

In the compounds of the formula (I) of and used in this invention the group R^1 is present as or as part of the hydrophile. Thus it will usually be desirable that the hydrophilicity of this group is not unduly reduced. The open chain form of such groups is typically the most hydrophilic form and will thus usually be the form desired. Groups including internal cyclic ether functionality can however be used, if desired, and may be obtained inadvertently if the synthetic route exposes the group to relatively high temperatures or other conditions which promote such cyclization.

Where R^1 is the residue of, or a residue derived from, a monosaccharide, the saccharide derived group or residue will usually be present as an open chain material. Where R^1 is the residue of, or a residue derived from, an oligosaccharide it can be considered as an open chain monosaccharide derived group or residue with a saccharide or oligosaccharide substituent which may be cyclic or a chain of cyclic residues. Particularly useful R^1 groups are derived from glycoses and are of the formula: $-\text{CH}_2-(\text{CHOH})_4-\text{CH}_2\text{OH}$, e.g. corresponding to residues from glucose, mannose or galactose. In this case the group $-\text{NR}^1\text{R}^2$ is of the formula: $-\text{NR}^2-\text{CH}_2-(\text{CHOH})_4-\text{CH}_2\text{OH}$ and the group is conveniently called a glycamine group. Most commonly the group R^1 will be derived from glucose and the corresponding amines may be called glucamines (as they will usually be made from glucose) or sorbitylamines (as they are no longer unsaturated). Strictly, such compounds are derivatives of 1-deoxyglycitol (and 1-deoxyglucitol) and can be referred to as 1-deoxyglycylamines (and 1-deoxyglucylamines) or as corresponding aminoglycitol (and aminoglucitol).

The group X^1 is a nitrogen atom which either has no further substituent (other than R^1 , R^2 and Link) or includes a substituent which makes the group a quaternary group, so that when X^1 is a substituted nitrogen atom it can be an amine oxide group $\text{N}\rightarrow\text{O}$; a group N^+R^4^- ; or $\text{N}^+\text{R}^5\text{An}^-$.

When X^1 is a nitrogen atom, the substituent R^2 on the nitrogen atom of X^1 , can be a hydrocarbyl group (see further below) or it can be as defined for R^1 in which case the amine function provides two hydrophilic polyhydroxy hydrocarbyl groups. In this case, the two groups of the formula R^1 will often be (but need not be) the same, as it is usually easier to make the symmetrical polyhydroxy hydrocarbyl substituted amine intermediate.

Where the group R^2 is a hydrocarbyl group, it is desirably an alkyl or alkenyl group, and typically it has from 1 to 30, more usually from 1 to 22, carbon atoms. R^2 can be a blocking group (mainly used to keep the synthesis straightforward), as when R^2 is a lower e.g. C_1 to C_6 , alkyl group, particularly a methyl or ethyl group. R^2 can be a longer chain e.g. C_6 to C_{30} , particularly a C_8 to C_{22} alkyl group and such a longer chain group will tend to act as a secondary hydrophobe. R^2 can also be a substituted alkyl group e.g. a hydroxy or alkoxy substituted alkyl group, particularly a C_2 to C_6 alkyl group which is hydroxy substituted e.g. a hydroxyethyl, particularly 2-hydroxyethyl, or hydroxypropyl, particularly 3-hydroxypropyl, group, or a C_1 to C_6 alkyl group substituted with an alkoxy, particularly a C_1 to C_6 alkoxy and especially a methoxy, ethoxy or propoxy, group, so that

the alkoxyalkyl group is particularly a 2-methoxyethyl, 2-ethoxyethyl, 3-methoxypropyl, or 3-ethoxypropyl group. The additional hydroxyl group or oxygen atom may provide a modest increase in water solubility. R^2 can also be an aralkyl group, particularly a C_7 to C_{12} aralkyl group, such as a benzyl group.

When X^1 is a group $N^+R^4^-$, the group R^4 is a C_1 to C_6 hydrocarbyl group carrying an anionic substituent (nominally carrying a balancing negative charge). Thus, typically R^4^- is a carboxyalkyl group, particularly a $-CH_2-COO^-$ group forming a betaine structure, although other possibilities include, alkyl sulphate, alkyl sulphonate, alkyl phosphate and alkyl phosphonate groups. The precise charge status and the presence of other ions associated with such groups will depend mainly on the pH. At near neutrality, the compound is likely to exist mainly as the zwitterion, whereas remote from neutrality, the quaternary nitrogen and the anionic group in R^4 may become associated with charge balancing ions. The charge balancing ions will usually be alkali metal or onium (ammonium or amine onium) ion for the anionic, usually carboxyl, group and halide, sulphate, phosphate or carboxylic acids for the amine function.

When X^1 is a group $N^+R^5^-An^-$, the group R^5 is a C_1 to C_{22} hydrocarbyl, particularly an alkyl group and more usually a C_1 to C_6 or a C_{10} to C_{18} alkyl group, a C_2 to C_6 hydroxy alkyl group, a (C_1 to C_6)alkoxy (C_1 to C_6)alkyl group or a C_7 to C_{12} aralkyl, particularly a benzyl, group. Where R^5 is an alkyl group, it will most commonly be a C_1 to C_6 alkyl, particularly methyl, group, although it may be a longer chain e.g. C_6 to C_{30} , particularly a C_8 to C_{22} alkyl, group and such a longer chain group will tend to act as a secondary hydrophobe. The anion group An^- is a charge balancing anion and can be any suitable counterion, for example mineral acid anions such as a halide, particularly chloride or bromide, sulphate or phosphate ion or a fatty carboxylate species.

The group Link is a group $-CH_2-CHOH-X^2-$ group which functions to connect the hydrophilic substituted amino group with the hydrophobic group R^3 . As such its precursor(s) provide suitable reactivity to enable the "linking" reactions but desirably do not include functionality that would interfere with the desired properties of the end products. The Link groups include a hydroxyl group, typically derived from epoxy or glycidyl functionality in synthetic precursors, which may provide a modest increase in the hydrophilicity of the end product. The group Link can be connected to the group R^3 by a direct bond, as when the corresponding precursor is a 1-epoxy hydrocarbyl, particularly alkyl, compound; an oxygen atom, an amino function or a (poly)alkylenoxy chain which itself may be linked to the group R^3 through an oxygen atom or an amino function. Where the group Link includes an amino function, the amino group may be

substituted with a residue that includes a further glycidyl group (linked as appropriate via a (poly)alkyleneoxy chain) and a hydrophilic (polyhydroxy hydrocarbyl)amino residue. In such compounds, the further glycidyl linked group is desirably the same as the first glycidyl linked group in the molecule.

When the linking group includes an oxyalkylene group or chain $-(OA)_p-$, the oxyalkylene group(s) can be oxyethylene ($-C_2H_4-O-$), oxypropylene ($-C_3H_6-O-$) or oxybutylene ($-C_4H_8-O-$), but desirably the oxyalkylene groups are all oxyethylene groups or are mixtures of oxyethylene and oxypropylene groups, desirably having a molar ratio of oxyethylene to oxypropylene groups of from 1:5 to 10:1. When the oxyalkylene groups are mixed oxyethylene and oxypropylene groups, the polyoxyalkylene chain can be a random or block copolymeric chain. Within the range 1 to 100, p is desirably 1 to 50, particularly 1 to 30. The number of units in the (poly)oxyalkylene chain, ' p ', is an average value and may be non-integral.


The groups R^6 and R^7 can be C_1 to C_8 hydrocarbyl, particularly alkyl or alkenyl, groups. More usually they will be groups corresponding to the hydrophile linked to the Link group and will thus be $R^1-(R^2)X^1-CH_2-CHOH-CH_2-$ for R^6 and $R^1-(R^2)X^1-CH_2-CHOH-CH_2-(OA)_p-$ for R^7 .


The group R^3 is or contains a hydrophobic hydrocarbyl group, particularly an alkyl or alkenyl group. R^3 may be a straight chain group or may be branched or a mixture of straight chain and branched moieties. Where the hydrophobic group is connected to the link group by a direct bond or an ether group (including a polyoxyalkylene ether group) the hydrocarbyl radical, desirably an alkyl or alkenyl group, is generally a C_{10} to C_{30} , particularly a C_{12} to C_{20} , especially a C_{12} to C_{18} , group. R^3 may also be an alkyl phenyl group e.g. a C_8 to C_{18} alkyl phenyl group and particularly a 3-linear alkyl phenyl group. Such groups can be derived from cardenols (3-alkyl phenols) which are readily biodegradeable compounds.

In particular the invention is directed to the compounds of the formulae (IIIa) to (IIIc) [including (IIIg') to (IIIg')] and/or their use in agrochemical compositions and formulations, particularly as adjuvants:





compounds of the formulae (IIIa) and (IIIb) are compounds of the formula (I) where X^1 is a nitrogen atom and Link is a group: $-CH_2-CHOH-$;









compounds of the formulae (IIIc) and (IIId) are compounds of the formula (I) where X^1 is a nitrogen atom and Link is a group: $-CH_2 - CHO - CH_2 - O -$;





compounds of the formulae (IIIe) and (IIIf) are compounds of the formula (I) where X^1 is a nitrogen atom and Link is a group: $-CH_2 - CHO - CH_2 - (OA)_p - O -$;





and particularly (IIIg') and (IIIf':



compounds of the formulae (IIIg) and (IIIh) are compounds of the formula (I) where X^1 is a nitrogen atom and Link is a group: $-CH_2 - CHO - CH_2 - N(R^6) -$;




and particularly (IIIj') and (IIIk':



compounds of the formulae (IIIj) and (IIIk) are compounds of the formula (I) where X^1 is a nitrogen atom and Link is a group: $-CH_2 - CHO - CH_2 - (OA)_p - N(R^7) -$;



and particularly (IIIm') and (IIIn':



compounds of the formulae (IIIm) and (IIIn) are compounds of the formula (I) where X^1 is an amine oxide group;



and particularly (IIIp') and (IIlq')



compounds of the formula (IIIp) and (IIlq) are compounds of the formula (I) where X^1 is a quaternary nitrogen atom and a substituent group including anionic functionality;



and particularly (IIIr') and (IIIs')



compounds of the formula (IIIr) and (IIIs) are compounds of the formula (I) where X^1 is a quaternary nitrogen atom with a charge balancing anion.


In the formulae (IIIA) to (IIIs) [including (IIIf') to (IIIs') each $R^1, R^2, R^3, R^4, R^5, R^6, R^7, An, Link, OA$, and p is independently as defined for formula (I).

The invention includes agrochemical compositions which includes an agrochemically active compound and, particularly as an adjuvant, at least one compound of at least one of the formulae (IIIA) to (IIIs) [including (IIIf') to (IIIs')]. The invention further includes the use of compounds of any of the formulae (IIIA) to (IIIs) [including (IIIf') to (IIIs')]] as agrochemical surfactants, particularly as adjuvants.

The compounds of and used in the invention can be made by routes involving generally conventional synthetic steps. In particular:


Compounds of the formulae (IIIA) and (IIIB) can be made by reacting an amine (IV):

R^1R^2NH (IV) with an epoxide (V):




under nucleophilic epoxide ring opening conditions.

Compounds of the formulae (IIIC) and (IIID) can be made by reacting an amine (IV) (as above) with a glycidyl ether (VIa):




under nucleophilic epoxide ring opening conditions.

Compounds of the formulae (IIIE) and (IIIF) can be made by reacting an amine (IV) (as above) with a glycidyl ether (VIB):




under nucleophilic epoxide ring opening conditions.


Compounds of the formulae (IIIg) and (IIIf) can be made by reacting an amine (IV) (as above) with a glycidyl amine (VIc):



Compounds of the formulae (IIIg') and (IIIf') can be made by reacting two moles of an amine (IV) (as above) with one mole of a bis-glycidylamine (VIc'):




Compounds of the formulae (IIIj) and (IIIk) can be made by reacting an amine (IV) (as above) with a glycidyl ether amine (VId):



under nucleophilic epoxide ring opening conditions.

Compounds of the formulae (IIIj') and (IIIk') can be made by reacting two moles of an amine (IV) (as above) with one mole of a bis-glycidylamine (VId'):



under nucleophilic epoxide ring opening conditions.

Compounds of the formulae (IIIm) and (IIIn) can be made by oxidising e.g. with hydrogen peroxide, an amine of the formula: $\text{R}^1 - (\text{R}^2)\text{N} - \text{Link-R}^3$.

Compounds of the formulae (IIIp) and (IIIQ) can be made by reaction of an amine of the formula: $\text{R}^1 - (\text{R}^2)\text{N} - \text{Link-R}^3$ with a reactive precursor of the group R^4 , typically a halogen derivative, under nucleophilic substitution conditions.

Compounds of the (IIIr) and (IIIs) can be made by reaction of an amine of the formula: $\text{R}^1 - (\text{R}^2)\text{N} - \text{Link-R}^3$ with a quaternizing, usually an alkylating, agent.

In the above outline reaction sequences the groups $\text{R}^1, \text{R}^2, \text{R}^3, \text{R}^4, \text{R}^5, \text{R}^6, \text{R}^7, \text{Link}, \text{OA}$ and p are as defined above.


Typically, reactions of epoxides and amines in the syntheses outlined above are carried out by heating the reagents in solution or dispersion in an inert solvent or diluent (glycols such as monopropylene glycol are suitably inert for this purpose). Compounds where X^1 is a substituted

nitrogen atom can be made from the corresponding compounds where X^1 is an unsubstituted nitrogen atom by reaction with a suitable reactive intermediate, particularly a halogen substituted compound including the residue for substitution on the nitrogen atom.

Precursors used above can be made by the following general routes:

Amines of the formula (IV) (R^1R^2NH) can be made by reductive alkylation of an amine R^2NH with a reactive precursor of the residue R^1 , e.g. a reducing sugar of which R^1H is a (possibly notional) 1-deoxy derivative.

Epoxides of the formula (V) can be made by selective oxidation of olefins of the formula:



Glycidyl ethers of the formulae (VIa) and (VIb) can be made by reacting alcohols of the formulae R^3OH and $R^3-(OA)_p-OH$ respectively with *epi*-chlorohydrin under nucleophilic substitution conditions (of course avoiding conditions that promote epoxide ring opening).

Glycidyl amines of the formulae (VIc) and (VIc') can be made by reacting amines of the formulae: $HN(R^6)-R^3$ and H_2N-R^3 with *epi*-chlorohydrin under nucleophilic substitution conditions.

Glycidyl ether amines of the formulae (VID) and (VID') can be made by alkoxylating amines of the formulae: $HN(R^7)-R^3$ and H_2N-R^3 and subsequently reacting the product (poly)alkyleneoxyamines with *epi*-chlorohydrin under nucleophilic substitution conditions.

The compounds of the formula (I) above can be used in agrochemical formulations particularly as adjuvants, emulsifiers, wetting agents, dispersants, thickeners or solubilisers and the invention accordingly includes agrochemical formulations incorporating compounds of the formula (I), particularly formulae (IIa) and (IIb) or formulae (IIIa) to (IIIb), as adjuvants, emulsifiers, wetting agents, dispersants, thickeners or solubilisers.

Surfactants of the formula (I) and particularly of the formulae (IIa), (IIb) or (IIIa) to (IIIb) can be used (particularly as adjuvants) with a wide range of agrochemical active materials and specifically, the active component of the formulation may be one or more plant growth regulators, herbicides, and/or pesticides, for example insecticides, fungicides, acaricides, nematocides, miticides, rodenticides, bactericides, molluscicides and bird repellents. Specific examples of actives include:

Herbicides: including

water soluble, particularly non-selective, herbicides, more particularly phosphonomethyl glycines such as Glyphosate and Sulfosate (respectively the *iso*-propylamino and trimethylsulphonium salts of *N*-phosphonomethyl glycine); and phosphinyl amino acids such

as Glufosinate {2-amino-4-(hydroxymethylphosphinyl) butanoic acid} particularly as the ammonium salt; triazines such as Atrazine {6-chloro-N-ethyl-N-(1-methylethyl)-1,3,5-triazine-2,4-diamine, and Prometryn {N,N'-bis(1-methylethyl)-6-(methylthio)-1,3,5-triazine)-2,4-diamine}; substituted ureas such as Diuron {N-(3,4-dichlorophenyl)-N,N-dimethylurea}; sulphonyl ureas such as metsulfuron-methyl {2-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl) amino]carbonyl]amino]sulfonyl]benzoate}, triasulfuron {2-(2-chloroethoxy)-N-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulfonamide}, tribenuron-methyl {methyl 2-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-methylamino]carbonyl]amino]sulfonyl]benzoate} and chlorsulfuron {2-chloro-N-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulfonamide}; pyridine carboxylic acids such as clopyralid {3,6-dichloropyridine-2-carboxylic acid}; aryloxy alkanoic acids such as 2,4-D {2,4-dichlorophenoxyacetic acid}; 2-(4-aryloxyphenoxy)propionic acids such as clodinafoppropargyl {prop-2-ynil (R)-2-[4-(5-chloro-3-fluoropyridin-2- yloxy) phenoxy]-propionate}; and bis-carbamates such as Phenmedipham {3-[(methoxycarbonyl)amino]phenyl (3-methylphenyl)carbamate}.

Fungicides: including

thiocarbamates, particularly alkylenebis(dithiocarbamate)s, such as Maneb {[1,2-ethanediylbis-[carbamodithiato](2-)]manganese} and Mancozeb {[1,2-ethanediyl-bis[carbamodithiato]](2-)]manganese mixture with {[1,2-ethanediylbis[carbamodithiato]](2-)]zinc}; strobilurins such as azoxystrobin {methyl (E)-2-[[6-(2-cyanophenoxy)-4-pyrimidinyl]oxy]-a-(methoxymethylene)benzeneacetate} and kresoxim-methyl {[(E)-a-(methoxyimino)-2-[(2-methylphenoxy)methyl]benzeneacetic acid methyl ester}; dicarboximides such as Iprodione {3-(3,5-dichlorophenyl)-N-isopropyl-2,4-dioxo imidazolidine-1-carboxamide}; benzimidazoles such as Carbendazym {methyl benzimidazol-2-yl carbamate}; azoles such as Propiconazole {1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl-methyl-1H-1,2,4-triazole}, and Tebuconazole {[(RS)-1-p-chlorophenyl-4,4-dimethyl-3-(1H-1,2,4-triazole-1-ylmethyl)-pentan-3-ol}; and inorganic fungicides such as Copper hydroxide {Cu(OH)2};

Insecticides: including

benzoyl ureas such as Diflubenzuron {N-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluoro-benzamide}}; and

Acaricides including: tetrazines such as Clofentezine {3,6-bis(2-chlorophenyl)-1,2,4,5-tetrazine}.

Among water soluble active materials particularly suitable actives include, non-selective herbicides, particularly *N*-(phosphono- methyl) glycine type herbicides, such as Glyphosate and Sulfosate and phosphinyl amino acids, such as Glufosinate, particularly as the ammonium salt. Such water soluble actives can be used as the sole active in for example in aqueous solutions or in water dispersible granules, but more usually, they will be used in combination with water insoluble or immiscible actives in multi active formulations. In particular, formulations can be made up using a water soluble (non-specific) herbicide such as Glyphosate, Sulfosate and/or Glufosinate, with a selective herbicide, such as a sulphonyl urea e.g. metsulfuron-methyl, pyridine carboxylic acid e.g. clopyralid, aryloxy alkanoic acids e.g. 2,4-D, substituted ureas e.g. diuron, or 2-(4-aryloxyphenoxy)propionic acids e.g. clodinafoppropargyl, and/or with an insecticide and/or fungicide.

Generally, when used as adjuvants in agrochemical formulations, the compounds of and used in this invention can be added to agrochemical formulations as part of the tank mix (the formulation actually used for spraying) or can be included in pre-formulated products which usually take the form of concentrates, emulsifiable concentrates or solid dispersible granules.

When added to tank mix compositions for spray formulations using current spray application rates, generally from 100 to 400l(spray).ha⁻¹(crop treated), usually about 300l.ha⁻¹, the concentration of the active agrochemical is typically from about 0.05 to about 3%, more usually from 0.1 to about 0.5 and particularly about 0.2 % by weight of the spray formulation and the concentration of adjuvant will typically be 0.02 to about 2%, more usually 0.2 to about 1% and particularly about 0.1%. The weight ratio of active agrochemical to adjuvant is usually from 1:5to10:1, more usually from 1:2 to about 4:1. These figures correspond to crop application rates of the active agrochemical generally in the range 300 to 4000g.ha⁻¹, more usually from 750 to about 2000g.ha⁻¹ (the actual amount depending on the particular crop, agrochemical and effect desired). For low volume spraying, generally higher spray concentrations will be used, but the ratio of agrochemical to adjuvant will be within the ranges given above.

The surfactants of the formula (I) can be used as "built in" adjuvants in concentrate agrochemical formulations that are intended for dilution prior to use. In such concentrates, the concentration of active agrochemical is typically from about 5 to about 60%, more usually from 10 to 40% and the adjuvant concentration is from about 3 to about 50%, more usually from 5 to 30% by weight of the concentrate. The use as built in adjuvants in concentrates is particularly applicable for concentrates where the carrier is aqueous and the active is or includes one or more water soluble herbicides, such as Glyphosate, Sulfosate and Glufosinate.

When used as emulsifiers, dispersants, thickeners or solubilisers, the surfactants will usually be incorporated into concentrate forms of agrochemical formulation. The functions of the surfactants and the amounts typically used are:

Emulsifiers - emulsifier surfactants are included in concentrate formulation for diluting to make emulsions often, and desirably, as emulsifyable concentrates (concentrates including agrochemical active, either liquid or in solution in an organic liquid, and emulsifier which emulsifies spontaneously or with minimal stirring on dilution in water). The proportion of emulsifier surfactant is typically from 1 to 40%, more typically 3 to 15% by weight of the concentrated formulation, typically from 1 to 80% by weight, more usually from 3 to 50% by weight based on the total weight of the oil phase in the formulation (or formed when the formulation is diluted to form an emulsion);

Dispersants - dispersant surfactant is used to make solids dispersed in liquid carriers in concentrates more stable to settling or flocculation of the solids. The amount of surfactant used in typically from 1 to 30% by weight of the dispersed phase of the formulation;

Thickeners - surfactants can be used as thickeners or rheology modifiers in liquid concentrate formulations, especially in emulsion or emulsifyable concentrate formulations, to stabilise the concentrate formulation against settling flocculation or phase separation prior to dilution. The amount of surfactant used in typically from 0.01 to 5% by weight of the formulation and usually from 0.1 to 5% by weight of the non-aqueous, usually oil, phase in the formulation (or formed when the formulation is diluted to form an emulsion);

Solubilisers - surfactant solubilisers are typically used to increase the (mutual) solubility, miscibility or compatibility of other formulation components with the beneficial effect of increasing the stability of liquid, especially concentrate, formulations. The amount of surfactant used in typically from 10 to 40 % by weight of the concentrate formulation, and possibly up to 80% by weight of the non-aqueous, usually oil, phase in the formulation (or formed when the formulation is diluted to form an emulsion).

When used as wetting agents i.e. principally to improve the wetting of plant leaves by the spray droplets, the surfactant can be included in a concentrate or added as a tank mix additive. The amount used will typically be from 0.0001 to 0.5%, more usually not more than about 0.1%, by weight of the (dilute) spray formulation and may be from 1 to 15% by weight of a concentrate.

Agrochemical formulations of the invention can be made up using surfactants of the formula (I) in a variety of formulation types including:

- i Water soluble liquids (aqueous dilutable solutions) in which water soluble agrochemical active(s) and surfactant(s) are dissolved in water and the formulation is diluted with water before use. In such formulations the surfactant(s) are usually present as adjuvants or wetting agents. Typically such formulations use concentrations within the ranges:

agrochemical active : 100 to 500 g.l⁻¹

surfactant : 30 to 500 g.l⁻¹

The surfactant can be a mixture of compounds of the formula (I) and other, particularly non-ionic surfactants (see also below about mixtures).

Possible other components in such formulations include

- i antifoams, particularly polysiloxane antifoams, typically included at a concentration of from 0.1 and 10% by weight of the concentrate formulation; and
- ii viscosity modifiers : gums, e.g. xanthan gums, modified cellulose e.g. carboxy-methyl, -ethyl or -propyl cellulose, typically included at between 0.01 and 5% by weight of the concentrate formulation.

Such concentrate formulations can be made by simple mixing of the components.

Conveniently this may be carried out by dissolving the agrochemical active(s) and the adjuvant surfactant(s) and any other components in water to give either a concentrate for subsequent dilution to end use concentrations or directly at end use concentration e.g. in the spray tank.

- ii Liquid concentrates, particularly emulsifiable concentrates, can include compounds of the formula (I). In liquid concentrates the surfactants are typically present as adjuvants, wetting agents, emulsifiers or solubilisers. The amount of surfactant(s) used in such concentrates is typically from 1 to 30% by weight of the concentrate. Other surfactants such as non-ionic, amphoteric, cationic or anionic or combinations of such surfactants may be used together with compounds of the formula (I) (see also below about mixtures). In liquid concentrates, typically use concentrations are within the ranges:

agrochemical active : 0.2 to 10% by weight (though with liquid agrochemicals, the concentration can be up to 90%); and

surfactant : 1 to 20% by weight of the liquid concentrate.

Liquid concentrate agrochemical formulations may also include:

solvents such as monoethylene glycol, diethylene glycol, glycerol, (mono)propylene glycol, which, especially with propylene glycol, may also act as a humectant, typically in an amount from 5 to 500% by weight of the surfactants;

oils, particularly vegetable or mineral oils, such as spray oils, typically in an amount from 5 to 500% by weight of the surfactants;

salts, such as ammonium chloride and/or sodium benzoate, and/or urea as gel inhibition aids typically in an amount from 1 to 10% by weight of the formulation.

- iii Solid dispersible granules - the surfactant will usually be included as an adjuvant or a dispersing agent and can be included in a granular agrochemical active formulation or itself be formulated as dispersible granules. Typically granules including agrochemical active contain from 1 to 80%, more usually from 1 to 30%, by weight of the granule of active.

When included in granules containing an agrochemical active, the adjuvant typically forms from 5 to 50% by weight of the granule.

The granules can include clathrates, particularly urea clathrates, in particular incorporating the surfactant, especially as an adjuvant. Such clathrates can be made by forming a co-melt, including the urea and surfactant, and cooling by e.g. spray cooling. Such clathrate solid granules will typically have a ratio of urea to surfactant adjuvant of from 1:2 to 5:1 by weight. Clathrates can be included in the agrochemical granules or and desirably formulated as a separate adjuvant granule which can be used by direct mixing with granular agrochemical active compositions.

When the adjuvant is provided in separate granules from the active agrochemical, the mixing rate of adjuvant granules to agrochemical active granules will depend on the respective concentrations in the granules, but will usually be such as to give a ratio of adjuvant to agrochemical active within the ranges described above.

In such granular formulations, other possible components of the granules include:

- binders, particularly binders which are readily water soluble to give low viscosity solutions at high binder concentrations, such as polyvinylpyrrolidone, polyvinylalcohol, carboxymethyl cellulose, gum arabic, sugars, starch, sucrose and alginates;
- diluents, absorbents or carriers such as carbon black, talc, diatomaceous earth, kaolin, aluminium, calcium and/or magnesium stearate, sodium tripolyphosphate, sodium tetraborate, sodium sulphate, sodium, aluminium or mixed sodium-aluminium silicates; and sodium benzoate;
- disintegration agents, such as surfactants, materials that swell in water, for example carboxymethyl cellulose, collodion, polyvinyl pyrrolidone and/or microcrystalline cellulose swelling agents; salts such as sodium and/or potassium acetate, sodium carbonate, bicarbonate and/or sesquicarbonate, ammonium sulphate and/or dipotassium hydrogen phosphate;
- wetting agents such as alcohol alkoxylates, particularly ethoxylates or ethoxylate/propoxylates;
- dispersants such as sulphonated naphthalene formaldehyde condensates and acrylic copolymers; and
- antifoam agents, typically at a concentration of from 1 to 10 % by weight of the granule.

Spray formulations at application concentration, including surfactants of the formula (I), particularly as adjuvants, can be made up by diluting/dispersing the agrochemical active and the adjuvant in the spray liquid (usually water). Also concentrate forms of the agrochemical formulation can be used, for example:

- i liquid concentrate containing the agrochemical active and, particularly adjuvant, surfactant dissolved in water;

- ii liquid concentrate containing the agrochemical active dissolved or dispersed in a non-aqueous, water immiscible liquid, which may be an emulsifiable concentrate and may include a proportion of water, including an adjuvant surfactant;
- iii liquid concentrate containing the agrochemical active dissolved or dispersed in a non-aqueous, water miscible liquid and including an adjuvant surfactant;
- iv a solid granular concentrate of or containing the agrochemical active and optionally including an adjuvant surfactant, or the adjuvant surfactant can be provided separately for example as a solution in a solvent (water or a non-aqueous solvent) or a granule, particularly a urea adduct, containing the adjuvant.

Concentrated forms of the agrochemical active will typically be diluted from 10 to 10000, particularly 30 to 1000 times to generate the agrochemical spray for use.

Agrochemical formulations often include more than one surfactant either because surfactants are used in combination to achieve the desired effect or used to provide different effects. It is thus possible in this invention to use combinations of more than one surfactant of the formula (I) or to combine surfactant(s) of the formula (I) with other surfactants.

For adjuvancy mixtures of adjuvant surfactants can be used and the invention includes agrochemical formulations including compounds of the formula (I) in combination with other adjuvant materials. Commonly such other adjuvants may be non-ionic surfactant adjuvants and examples include so-called hydrocarbyl, particularly alkyl, polysaccharides (generally more correctly described as oligosaccharides); hydrocarbyl, particularly alkyl, amine alkoxylates, particularly ethoxylates, linear or mono-branched alcohol alkoxylates, particularly ethoxylates; sorbitol fatty acid esters; sorbitan fatty acid esters; and ethoxylated sorbitan fatty acid esters.. The proportion of compounds of the formula(I) and other adjuvants, particularly non-ionic surfactant adjuvant, (when used) is typically from 1:5 to 10:1, more usually from 1:1 to 5:1 by weight. The proportions and concentrations of adjuvants referred to above include both compound(s) of the formula (I) and other, particularly non-ionic surfactant adjuvants.

Especially where emulsification is desired the surfactant(s) will usually be included in or with the formulation components including the phase to be emulsified. Other surfactants, especially non-ionic surfactants can be used together with the compounds of the formula (I).

Generally when other surfactants, especially non-ionic surfactants are used, the compound(s) of the formula (I) will be at least 25% and more usually at least 50% of the total surfactant used to provide the desired effect.

Other conventional components can be included in such formulations such as one or more oils e.g. mineral oil(s), vegetable oil(s) and alkylated vegetable oil(s) which are, typically C₁ to C₈, alkyl mono esters of vegetable oil fatty acids; solvents and/or diluents such as ethylene and/or propylene glycol or low molecular weight alcohols, which act to solubilise the formulation and/or to reduce the viscosity and/or to avoid or reduce dilution problems e.g. the formation of gels. In particular where non-aqueous, particularly those which are not miscible with or soluble in water, liquids are included e.g. as solvents for the agrochemical and/or in a concentrate to form an emulsion on dilution with water for spraying, other surfactants may be included as solubilisers and/or emulsifiers. Such materials will typically be chosen from anionic, cationic and/or non-ionic surfactants for their effectiveness in solubilisation and or emulsification. Such other surfactant components will, as with formulations using purely conventional surfactants, be used in amounts based on the desired effect.

Other surfactants may also be included to improve wetting. Examples of such wetting agents include nonionic surfactants such as alcohol ethoxylates for example of C₉ to C₁₅, particularly primary, alcohols, which may be linear or branched, particularly mono-branched, with from 5 to 30 moles of ethylene oxide; and alkoxylates of such alcohols particularly mixed ethoxylate/propoxylates which may be block or random mixed alkoxylates, typically containing from 3 to 10 ethylene oxide residues and from 1 to 5 propylene oxide residues, particularly where the polyalkoxylate chain is terminated with propylene oxide unit(s); polyoxyethylene/polyoxypropylene copolymers, particularly block copolymers, such as the Synperonic PE series of copolymers available from Uniqema, and alkyl polysaccharides; anionic surfactants e.g. isethionates, such as sodium cocoyl isethionate, naphthalene sulphonic acids or sulphosuccinates. The amounts of wetting surfactants are typically similar to or the same as the levels typically used to provide adjuvant effects (see above).

The compounds of the formula(I) may be used in combination with non-surfactant materials, particularly solvents or solvation aids such as glycols such as monopropylene glycol and/or polyethylene glycol. The proportion of compounds of the formula(I) to such solvents or solvation aids, (when used) is typically from 1:5 to 10:1, more usually from 1:1 to 5:1 by weight.

The invention includes a method of treating vegetation by applying to plants and/or soil a composition including a surfactant of the formula (I) and an agrochemical according to the invention. The agrochemical may be one or more of the types of actives described above, particularly, one or more growth regulators, herbicides, and/or pesticides, for example insecticides, fungicides or acaricides. This method of the invention includes:

- (i) a method of killing or inhibiting vegetation by applying a formulation which includes one or more growth regulators and/or herbicides and at least one compound of the general formula (I) as an adjuvant, and/or
- (ii) a method of killing or inhibiting plant pests by applying a formulation which includes one or more pesticides, for example insecticides, fungicides or acaricides, and at least one compound of the general formula (I) as an adjuvant.

Other additives can be included in agrochemical formulations of the invention including:

inorganic salts such as ammonium chloride and/or sodium benzoate and/or urea in an amount of from 0.01 to 1% by weight of composition.

antifoams which can be silicon based materials such as organopolysiloxanes, which are typically used in an amount from 0.1 to 10%, preferably 0.2 to 6% by weight of the surfactant; 0.01 to 5%, particularly 0.02 to 2% by weight of agrochemical concentrate and 0.0001 to 0.1% preferably 0.001 to 0.05% by weight of a spray formulation at end use dilution;

viscosity modifiers, particularly gums such as xanthan gums; cellulose derivatives, such as carboxyl-methyl, -ethyl, or -propyl cellulose, typically used at from 0.01 to 5 wt % of a concentrated formulation; and

other non surfactant materials such as stabilisers and/or anti-microbials, typically used at from 0.01 to 5 wt % of a concentrated formulation.

The following Examples illustrate the invention. All parts and percentages are by weight unless otherwise stated.

Materials

<i>N</i> -methylglucamine	<i>N</i> -methyl- <i>N</i> -(1-deoxyglucityl)amine
bis-sorbitylamine	bis(1-deoxyglucit-1-yl)amine
dodecyl-poly-4-oxyethylene	Brij 30 exUniqema
tridecyloxy poly-5.7-oxyethylene	Cresmer PTCD exUniqema (India)
Sulfosate	glyphosate trimethylsulphonium salt as a solution in water containing 720g.l ⁻¹ active salt
Glyphosate	glyphosate iso-propylamine salt as a solution in water containing 767g.l ⁻¹ active salt
Horizon EW	tebuconazole 250 g.l ⁻¹ active material ex Bayer
MON0818	tallow amine (20) ethoxylate ex Monsanto

Synthesis Examples SE1 to SE22 illustrate the synthesis of the compounds of the formula (I).

Synthesis Example SE1 : *N*-(1-deoxyglucityl)-*N*-(2-hydroxydodecyl)-*N*-methylamine

N-methylglucamine (4.8g; 24.6mmol) was reacted with 1-epoxydodecane (5g; 27.2mmol) in propylene glycol (2.45ml) at 120°C for 3 hours. The product was initially a highly viscous transparent liquid, solidified after keeping at ambient temperature overnight. The identity of the product was verified using IR and NMR spectroscopy.

The following further compounds were made by the general method of SE1 substituting the corresponding starting material for the 1-epoxydodecane used in SE1.

SE2 *N*-(2-hydroxy(mixed hexadecyl/octadecyl)amino-1-deoxyglucitol

SE3 *N*-(2-hydroxytetradecylamino)-1-deoxyglucitol

The identity of the products was verified using IR and NMR spectroscopy.

Synthesis Example SE4 : *NN*-bis(1-deoxyglucityl)-*N*-(2-hydroxydodecyl)-amine

SE1 was repeated except that bis-sorbitylamine was used instead of the *N*-methyl glucamine used in SE1. The product solidified after cooling. The identity of the product was verified using IR and NMR spectroscopy.

The following further compound was made by the general method of SE4 substituting the corresponding starting material for the 1-epoxydodecane used in SE4.

SE5 *NN*-bis(1-deoxyglucityl)-*N*-(2-hydroxydodecyl)-amine

The identity of the product was verified using IR and NMR spectroscopy.

Synthesis Example SE6 : 1-(*N*-methyl-*N*-1-deoxyglucityl)amino-2-hydroxy-3-dodecyloxy propane

N-Methylglucamine (4.03 g; 20.7 mmol) was reacted with dodecyl glycidyl ether (5 g; 20.7 mmol) at 120 to 130°C for 2 to 3 hours and the mixture was then cooled. The product was a colourless

highly viscous liquid which turned to a white solid on keeping overnight. The identity of the product was verified using IR and NMR spectroscopy.

The following further compounds were made by the general method of SE6 substituting the corresponding starting material for the dodecyl glycidyl ether used in SE6.

SE7 1-(N-methyl-N-1-deoxyglucitylamino)-2-hydroxy-3-octyloxy propane

SE8 1-(N-methyl-N-1-deoxyglucitylamino)-2-hydroxy-3-(2-ethylhexyl)oxy propane

SE9 1-(N-methyl-N-1-deoxyglucitylamino)-2-hydroxy-3-nonyloxy propane

SE10 1-(N-methyl-N-1-deoxyglucitylamino)-2-hydroxy-3-decyloxy propane

SE11 1-(N-methyl-N-1-deoxyglucitylamino)-2-hydroxy-3-(mixed octyloxy/decyloxy) propane

SE12 1-(N-methyl-N-1-deoxyglucitylamino)-2-hydroxy-3-tetradecyloxy propane

SE13 1-(N-methyl-N-1-deoxyglucitylamino)-2-hydroxy-3-(mixed dodecyloxy/tetradecyloxy) propane

The identity of these was verified using IR and NMR spectroscopy.

Synthesis Example SE14 : 1-NN-bis(1-deoxyglucityl)amino)-2-hydroxy-3-dodecyloxy propane

SE6 was repeated except that bis-sorbitylamine was substituted for the N-methylglucamine used in SE6. The identity of the product was verified using IR and NMR spectroscopy.

The following further compounds were made by the general method of SE14 substituting the corresponding starting material for the dodecyl glycidyl ether used in SE14.

SE15 1-(N-bis-sorbitylamino)-2-hydroxy-3-(mixed dodecyloxy/tetradecyloxy) propane

SE16 1-(N-bis-sorbitylamino)-2-hydroxyl-3-tetradecyloxy propane

The identity of the products was verified using IR and NMR spectroscopy.

Synthesis Example SE17 : 1-(N-methyl-N-1-deoxyglucitylamino)-2-hydroxyl-3-(dodecyloxy poly-4-oxyethyleneoxy) propane

N-Methylglucamine (0.37g; 1.91mmol) was reacted with dodecyloxy-poly-4-oxyethylene glycidyl ether (1g; 2.54mmol) at 125 to 130°C for 2 to 3 hours. The product was obtained as a transparent viscous liquid. The identity of the product was verified using IR and NMR spectroscopy.

The following further compounds were made by the general method of SE17 but substituting the corresponding starting material for the dodecyl glycidyl ether and/or N-methylglucamine used in SE17.

SE18 1-(N-methyl-N-1-deoxyglucitylaminohydroxyl-3-(tridecyloxy poly-5.7-oxyethyleneoxy) propane

SE19 1-(N-bis-sorbitylamino)-2-hydroxyl-3-tetradecyloxy propane

SE20 1-(N-1-deoxyglucitylamino)-2-hydroxyl-3-(branched octadecyloxy poly-10PO-10EO) propane*

- * The precursor used was a branched C₁₈ alcohol 10-propoxylate-10-ethoxylate glycidyl ether itself made by reacting a monobranched C₁₈ alcohol 10-propoxylate-10-ethoxylate with *epi*-chlorohydrin.

The identity of these products was verified using IR and NMR spectroscopy.

Synthesis Example SE21 : Betaine from 1-(N-1-deoxyglucitylamino)-2-hydroxy-3-dodecyloxy propane

The direct reaction product of the heating stage from a repeat of Example SE6, using 66.9g (343mmol) of *N*-methylglucamine and 83.05g (343mmol) of dodecyl glycidyl ether, was cooled to 90 to 95°C, water (100ml) was added and an aqueous solution of sodium chloroacetate (40.14g; 343 mmol, dissolved in 90ml water) was added slowly to this stirred mixture keeping the temperature at 90 to 95° C. The resultant mixture was further stirred at 90 to 95°C for 1 hour to give the title compound product as a clear colourless liquid (50% active in water).

Synthesis Example SE22 : 1-(N,N-bis(N-1-deoxyglucitylamino)amonium)-2-hydroxy- 3-dodecyloxy propane sulphate

The direct reaction product of the heating stage from a repeat of Example SE6, using 189.2g (433mmol) of *N*-methylglucamine and 104.8g (433mmol) of dodecyl glycidyl ether, was cooled to 40 to 45°C, isopropyl alcohol (63ml) added and the mixture stirred. Dimethyl sulphate (49.1g; 390mmol) was added to the stirred mixture over a period of 4 to 5 minutes and the resultant mixture stirred for 1hour at which time the acid value was 9.6. Isopropyl alcohol was then removed under reduced pressure and water (26.5ml) added to give the product as a white viscous liquid (90% active in water).

The products of some of the synthesis examples (if necessary after purification) were tested for aquatic toxicity to *Daphnia magna* in a standard bio-assay to derive the EC50 (in mg.l⁻¹) for immobilising the Daphnia at the end of the 48 hour assay procedure. The results are given below:

Compound (SE No)	EC50
SE20	>100
SE21	31.4
MON0818*	2.0

* conventional fatty amine ethoxylate adjuvant particularly used with glyphosate type herbicides - toxicity data from 'Glyphosate: A unique global herbicide' by JEFranz *et al*, ACS Monograph 189, 1997 (96 hour figure).

These data indicate that the compounds of the formula(I) have significantly lower aquatic toxicity as compared with the conventional tallow amine ethoxylate adjuvant.

Application Examples AE1 to AE5 illustrate the application of compounds of the formula(I) as agrochemical adjuvants. For convenience, the adjuvants used in these Examples were diluted 1:1 by weight with monopropylene glycol (MPG). As used in the Application Examples these formulated surfactants are coded as the corresponding Synthesis Example No followed by "M" as SE5 and SE5M; SE3 and SE3M; SE16 and SE16M; and SE12 and SE12M.

In some of the Application Examples crop species are used for testing herbicidal effectiveness. This was done because crop plants do turn up as weeds (in other crops), they can be good models for effectiveness on certain types of weed and they are available as controlled seeds thus improving consistency in testing (weed seeds are much less readily available in such controlled forms).

Application Example AE1

Aqueous herbicide formulations were made up using Sulfosate as the active material at 3.3g.l⁻¹ and (diluted) adjuvant at 2.4g.l⁻¹. The formulations were tested for herbicidal activity on species of *Hordeum vulgare* ssp. (barley), *Lolium multiflorum* (Italian rye grass) and *Pisum sativum* (pea) by spraying the plants with 300l.ha⁻¹ (equivalent to 990g(active).ha⁻¹) herbicide formulation. Chlorosis and /or necrosis and growth reduction were assessed after 6, 10 and 16 days with the results quoted as a percentage of the plants so affected. The results are set out in Table 1 below with Chlorosis and /or necrosis and growth reduction data separated by a colon.

Table 1

Ex No	Adjuvant	days	Species		
			barley	rye grass	pea
AE1.1	SE3M	6	90 : 50	- : 65	60 : 65
		10	100 : 75	- : 75	65 : 65
		16	100 : 80	- : 95	75 : 80
AE1.2	SE5M	6	65 : 40	- : 45	25 : 30
		10	98 : 50	- : 75	10 : 50
		16	100 : 80	- : 95	15 : 60
AE1.3	SE12M	6	65 : 40	- : 45	55 : 50
		10	98 : 50	- : 75	60 : 65
		16	100 : 80	- : 95	65 : 75
AE1.4	SE16M	6	65 : 40	- : 45	25 : 20
		10	98 : 50	- : 75	10 : 40
		16	100 : 80	- : 95	10 : 60

Application Example AE2

A field trial was carried out using Sulfosate as active herbicide to investigate the effectiveness of adjuvants of the invention in weed control. The herbicide formulations were aqueous solutions of the herbicide (3.3g.l^{-1}) and adjuvant (1.65g.l^{-1}) in water which was applied by spraying at an application rate of 300l.ha^{-1} , equivalent to 990g.ha^{-1} of active Sulfosate salt and 495g.ha^{-1} of adjuvant. An untreated control was used as the basis for comparison and a control treatment with Sulfosate without adjuvant was also included. Weed control was assessed by visual observation on a scale of 0='no effect' to 100='all weeds killed' at 7, 14 and 21 days after spraying. 4 replications of $2\text{m} \times 8\text{m}$ plots containing mixtures of the following weeds were used:

Weed	Growth stage	Weed	Growth stage
<i>Chenopodium album</i>	4-6 leaves	<i>Galinsoga parviflora</i>	2-4 leaves
<i>Polygonum persicaria</i>	4-5 leaves	<i>Solanum nigra</i>	2-4 leaves
<i>Stellaria media</i>	4-6 leaves	<i>Poa annua</i>	3-4 tillages
<i>Urtica urens</i>	4 leaves		

The weed control results are set out in Table 2 below.

Table 2

Ex No	Adjuvant type	% weed control		
		7 days	14 days	21 days
AE2.1C	-	25	50	45
AE2.1	SE5M	37.5	67.5	60
AE2.2	SE3M	60	85	80
AE2.3	SE16M	47.5	77.5	70
AE2.4	SE12M	60	82.5	80

Application Example AE3

A further field trial was carried out generally as described in AE2, but using Glyphosate as active herbicide. The same plot set up, selection of weeds and assessment was used as in AE2. The effective application rate of the Glyphosate was 1080g.ha^{-1} and of the adjuvant 540g.ha^{-1} . The results are set out in Table 3 below.

Table 3

Ex No	Adjuvant type	% weed control		
		7 days	14 days	21 days
AE2.1C	-	35	65	65
AE2.1	SE5M	35	65	65
AE2.2	SE3M	47.5	72.5	77.5
AE2.3	SE16M	47.5	72.5	65
AE2.4	SE12M	50	72.5	80

Application Example AE4

A multi crop trial was run with Glyphosate as herbicide. The selected crops: Italian ryegrass (*Lolium multiflorum*), Pea (*Pisum sativum*) and Savoy cabbage (*Brassica oleracea* var. *rapa*) were sown on a sandy lawn soil in strips with 40m long and 2 m wide. Glyphosate and adjuvant combinations were applied across the crop strips in 2m wide bands (one replicate), sprayed at 250 l.ha⁻¹. Glyphosate at 1080 g(active).ha⁻¹ + 540 g.ha⁻¹ adjuvant was sprayed. An untreated control was carried out. Visual evaluation of crop growth reduction and chlorosis/necrosis were made of the different crops 7, 10 and 16 days after treatment. Each parameter was estimated as a percentage as compares with nearest untreated control plot (= 0%). The results are set out in Table 4 below.

Table 4

Ex No	Compound	days	Species		
			rye grass	pea	cabbage
AE4.1	SE5M	7	45 : 45	25 : 25	40 : 82
		10	90 : 75	5 : 45	70 : 85
		16	100 : 95	5 : 55	- : 88
AE4.2	SE12M	7	45 : 50	35 : 35	45 : 85
		10	90 : 75	10 : 50	75 : 85
		16	100 : 95	10 : 55	- : 93
AE4.3	SE16M	7	35 : 40	30 : 25	35 : 85
		10	85 : 75	5 : 45	75 : 88
		16	100 : 95	5 : 50	- : 92
AE4.4	SE3M	7	45 : 50	40 : 40	95 : 95
		10	92 : 75	15 : 50	95 : 95
		16	100 : 95	20 : 70	- : 98

Application Example 5

Field trials were carried out to test the effectiveness of fungicide on winter wheat (variety Versailles) using the active Horizon EW (tebuconazole) (250g/l) in the control of fungal leaf rust (*Puccinia recondita*). The plots were sprayed at a spray volume 300l.ha⁻¹, with the adjuvants added as tank mix additives at a concentration of 0.1% weight/volume on the spray. The normal application rate (NAR) for Horizon alone is 1l.ha⁻¹ (250g.ha⁻¹) and this was used as a control together with 0.75l.ha⁻¹ (187.5g.ha⁻¹; 3/4NAR). An untreated control was also included. For these trials, adjuvant containing formulations were at 3/4 NAR for the active and 0.1% weight/volume (300g.ha⁻¹) adjuvant. The effect of the spraying was assessed 3 weeks after treatment and is expressed as % infected leaf area (2 and 3 top leaves).

Table 5

Ex No	Fungicide		Adjuvant		% infected	
	type	g.ha ⁻¹	type	g.ha ⁻¹	2 leaf	3 leaf
AE5.1C	tebuconazole	250	-	-	2.5	2.5
AE5.2C	tebuconazole	187.5	-	-	2.5	10
AE5.1	tebuconazole	250	SE5M	300	0	0
AE5.2	tebuconazole	187.5	SE3M	300	0	0
AE5.3	tebuconazole	250	SE16M	300	0	2.5
AE5.4	tebuconazole	187.5	SE12M	300	0	0